



Order no.: 381 636

EAN: 4013207381632

**Product designation:**

EKASTU-Chemical Protection Gloves 636 (Size 9)

Protection against mechanical risks and certain chemicals such as fats, oils, most acids and bases.



## DESCRIPTION

**Chemical Protection Gloves** can be used anywhere, where greasy materials are handled or where acids, alkalis and corrosive solids are handled, posing a risk to the surface of the hand

- Category 3, type A
- Length: approx. 35cm; colour: green; Size: 9
- Very durable version
- Fully coated with polyvinyl chloride
- Cotton lined and extremely abrasion-resistant
- Durable through double-dipping process
- Better palpation ability and around up to 50% less tiredness for the hand
- Optimal abrasion resistance according to EN 388, therefore long service life

## MAIN FEATURES

Mechanical Characteristics	
Abrasion resistance (A)	3
Cut resistance according to Coup-Test (B)	1
Tear resistance (C)	2
Puncture resistance (D)	1
Cut resistance according to ISO (E)	X
Protection against impact (F)	X

## MARKING

- Trade mark of manufacturer (LOGO)
- Product designation
- CE-Identification
- Notified body
- Applied standard
- Consider the information brochure
- Size

## STORAGE

- Ambient temperature. Protect against cold, heat and humidity
- Consider conditions noted on the packaging

## CERTIFICATIONS




- Chemical Protection Gloves are certified according to EN ISO 374-1:2016+A1:2018/Typ A, EN ISO 374-5:2016, EN 388:2016+A1:2018, EN ISO 21420:2020
- Certified according to European Regulation (EU) 2016/425

## WARNING REFERENCE

- Use in accordance with the requirements only!

## USER REFERENCES

EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Protection gloves with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-195 „Use of Protection Gloves“.

Marking of chemical protective gloves			
Marking according to EN ISO 374:2016			
TYPE A	EN ISO 374-1/ Type A  abcdef	Performance level 2 (Penetration time > 30 minutes) for at least 6 of 18 test chemicals	M3-PLUS M2-PLUS 6 Series
TYPE B	EN ISO 374-1/ Type B  abc	Performance level 2 (Penetration time > 30 minutes) for at least 3 of 18 test chemicals	TYPE A includes TYPE B
TYPE C	EN ISO 374-1/ Type C  a	Performance level 1 (Penetration time > 10 minutes) for at least 1 of 18 test chemicals	TYPE A and TYPE B includes TYPE C

## MATERIALS

- Outside of gloves: Polyvinyl chloride (PVC) 0,80mm
- Inside of gloves: Cotton (knitted) 0,40mm

## WEIGHT

- approx. 230 g

## DONNING AND USING

- Take the Protection gloves from the packing directly before use. Use the Protection gloves in accordance with the information brochure.

TD 381 636 English\_01-01.25