**Technical Data Sheet** 

Polimask BETA/Silicone



Order no.: 433 507

## **Product designation:**

Half Mask Polimask BETA/Silicone

In connection with respiratory filter of the series 200 (special thread 66mm) as filtering device.

The scope of protection is determines by the product information, technical standards and valid application rules.



## **DESCRIPTION**

- · Adaptability to any kind of face with a good sealing ability
- · Anatomically shaped mask body made of high-quality silicone, which is particularly kind to the skin
- · Low breathing resistance
- Compatible with the use of glasses and goggles
- Easy donning and doffing
- · Easy maintenance, washing and disinfection

## **I MAIN FEATURES**

Faceblank made of high-quality Silicone

Comfortable innovative 4-point harness ensures optimal weight distribution and quick donning of the half mask



Large internal sealing flap that allows a perfect adaptability to the face and an excellent seal

Two screw-in inhalation connectors for filter series 200

## **PERFORMANCES**







Ergonomics



Sturdiness



Easy maintenance

# I APPLICATION FIELDS



Industry



Hospital





#### **MATERIALS**

· Faceblank: Silicone

· Fastener for head harness: Plastc (ABS)

• Harness: Textile elastic band / Polypropylene (PP)

Inhalation valve: RubberExhalation valve: Rubber

• Exhalation valve fit: Plastic (ABS)

• Connector: Polypropylene (PP)

## WEIGHT

• approx.: 165 g

#### **MARKING**

- Trade mark of manufacturer (LOGO)
- · Product designation
- · Applied standard
- · Manufacture year and -month
- CE-Identification
- · Notified body
- · Type identifying marking

#### **DONNING AND USING**

- Take the Half mask from the Packing and/or Storage container directly before use
- Use the Half mask in accordance with the information brochure

#### **STORAGE**

- · Ambient temperature. Protect against cold, heat and humidity
- · Consider conditions noted on the packaging

#### **CERTIFICATIONS**

- · The mask is certified according to EN 140
- · For use with particle, gas and combined filter of the series 200 (special thread 66mm)
- Certified according to European Regulation (EU) 2016/425

#### **USER REFERENCES**

EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Respiratory protective devices with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-190 resp. DIN EN 529 "Respiratory protective devices – recommendation for selection, use, care and maintenance – guidelines".

Tel.: +49(0)7151 975099-0

Fax: +49(0)7151 975099-30

TD 433507 English\_06-04.24

Internet: www.ekastu.de

eMail: info@ekastu.de